

Chris Butcher
Territory Sales Manager



My recommended **FUNGICIDE PROGRAM**

My name is Chris Butcher, I manage the Southeast Territory, consisting of Virginia, North Carolina, and South Carolina.

Quali-Pro has a long history of providing post-patent and new proprietary chemistries at an affordable price point. Quali-Pro is excited to offer a comprehensive fungicide program to help prevent and suppress disease pressure throughout the year. Quali-Pro is a manufacturer of Fungicides, and offers seventeen different fungicide formulations. Quali-Pro developed this customized Program for Superintendents to utilize the best choices for certain disease situations.

The Southeast Fungicide Program is designed to prevent and/or suppress disease, save time and money, and promote turf health and vigor of your individual turfgrass situations.

For more information or questions, please call, text, or email me with questions, and thanks for your support!



Scan
or click
to contact
Chris.

QUALI-PRO FUNGICIDE PROGRAM

Putting Greens/Ultradwarf Bermudagrass/Transition Zone Southeast

Chris Butcher
Chris.Butcher@controlsolutionsinc.com

App. No.	Estimated Date	Product Description	Rate per 1,000 ft sq	FRAC/IRAC Codes	Target Pathogens	Application Notes
1	16-Jan	Enclave	4.0 oz	M05, 2,1,3	Take All Root Rot, Microdochium Patch, Leaf Spots, Bermuda Decline	Allow to dry before mow
2	6-Feb	Flex-Guard Pendant SC Ipro 2	0.5 oz 2.0 4.0	29 12 2	Take All Root Rot, Dollar Spot, Leaf Spots, Large Patch	Allow to dry before mow
3	13-Mar	Chlorothalonil 720 SFT Flex-Guard	3.5 0.5	M5 29	Take All Root Rot, Dollar Spot, Leaf Spots, Large Patch	Allow to dry before mow
4	27-Mar	Enclave Flex-Guard Pendant SC Ipro 2	4.0 oz 0.5 oz 2.0 oz 4.0 oz	M05, 2,1,3 29 12 2	Take All Root Rot, Dollar Spot, Leaf Spots, Large Patch	Allow to dry before mow
5	10-Apr	Strobe 2L Tebuconazole 3.6F	0.7 oz 0.6 oz	11 3	Fairy Ring	Water In with .15 inch Irrigate into crown/roots
6	24-Apr	Tebuconazole 3.6F Propiconazole	0.6 oz 3.0 oz	3 3	Fairy Ring	Irrigate into crown/roots Water In with .15 inch
7	8-May	Strobe Pro Propiconazole 14.3	3.0 oz 3.0 oz	11,3 3	Spring Dead Spot, Take All Root Rot, Leaf Spots	Water In with .15 inch
8	Nematode As needed	Nimitz Pro G Total	240 lbs/year 21.0-57.0/ acre	N/A N/A	Nematodes	Irrigate with .1 to .5 inch Water In after application
9	3-Jun	Flex-Guard Strobe 2L	0.5 oz 0.7 oz	29 11	Brown Patch, Large Patch, Summer Patch	Allow to dry before mow Water In with .15 inch
10	17-Jun	Flex-Guard Propiconazole 14.3	0.5 oz 3.0 oz	29 3	Brown Patch, Large Patch, Summer Patch	Allow to dry before mow Water In with .15 inch
11	1-Jul	Imidacloprid 2F	1.6 pt/acre	4A	Grubs, Chinch, Mole Circkets	Water in lightly
	1-Jul	Duraflex ZC	1-2 oz/1000	3A, 7C, 15	Ants, Armyworm	Dry before mowing
12	22-Jul	Strobe 2L	0.7 oz	11	Fairy Ring	Water In with .15 inch
13	12-Aug	Imidacloprid 2F	1.6 pt/acre	4A	Grubs, Chinch, Mole Circkets	Water in lightly
	13-Aug	Duraflex ZC	2 oz/1000	3A, 7C, 15	Ants, Armyworm	Dry before mowing
14	10-Sep	Strobe Pro Strobe 2L Propiconazole 14.3	3.0 oz 0.7 oz 3.0 oz	11,3 11 3	Spring Dead Spot, Take All Root Rot, Leaf Spots, Brown Patch, Summer Patch	Water In with .15 inch
15	24-Sep	Strobe Pro	3.0 oz	11,3	Spring Dead Spot, Take All Root Rot, Leaf Spots, Brown Patch, Summer Patch	Water In with .15 inch
16	8-Oct	Chlorothalonil 720 SFT	3.5 oz	M5	Spring Dead Spot, Take All Root Rot, Leaf Spots, Brown Patch, Summer Patch	Allow to dry before mow
17	4-Nov	Strobe 2L	0.7 oz	11	Spring Dead Spot, Take All Root Rot, Leaf Spots, Brown Patch, Summer Patch	Water In with .15 inch
18	9-Dec	Enclave	4.0 oz	M05, 2,1,3	Spring Dead Spot, Take All Root Rot, Leaf Spots, Brown Patch, Summer Patch	Allow to dry before mow

QUALI-PRO FUNGICIDE PROGRAM

Putting Greens / Ultradwarf Bermudagrass / Transition Zone Southeast

Chris Butcher
Chris.Butcher@controlsolutionsinc.com

Nematode Control

Nimitz Pro G @ 80lbs./acre March, April and May for control of Lance, Sting, Root Knot and Lesion (Irrigate 1/4" immediately after application)

Todal @ 57oz./acre June, July, August and September for control of Root Knot Nematodes (Irrigate 0.1-0.5 prior to application and spray before turf has dried. Use wetting agent and irrigate after application)

Indeminify @ 17.1 oz./acre October and November for control of Sting, Root Knot and ring nematodes (Irrigate with 0.1" within 12-24 hours of application)

Fire Ant Control

Apply Taurus Trio G @ 87lbs./acre in April/May for season long control

Total Amount of Product Annually for One Acre

Product	Sqft Rate Per acre
Enclave	4.1 gal
Strobe 2L	2.3 gal
Flex-Guard	1.3 gal
Pendant SC	1.4 gal
Ipro 2	2.7 gal
Chlorothalonil 720 SFT	2.4 gal
Flex-Guard	0.5 gal
Tebuconazole 3.6F	0.4 gal
Strobe Pro	3.1 gal
Propiconazole 14.3	4.1 gal
Nimitz Pro G	240.0 lbs
Todal	57.0 oz
Imidacloprid 2F	26.0 oz
Duraflex ZC	90.0 oz