



AGRONOMIC PROGRAM

Bentgrass Fairways/Tees - 21 days

Month	Product	Type of Application	FRAC	Rate (oz/m)
Mid March	PPZ	Foliar	3	1.5
	Chlorothalonil 720 SFT		M5	3.6
Early April	SDHI	Foliar	7	N/A
	Flex-Guard		29	0.5
Mid April	Strobe Pro	Soil	3,11	3
	Bifenthrin		N/A	0.34
Late April	Enclave	Foliar	1,2,3,M5	4
Late April	Suprado	Soil	N/A	3
Mid May	Flex-Guard	Foliar	29	0.5
	Ipro 2		2	4
Mid/Late May	Strobe Pro	Soil	3	3
	QP Dithiopyr		N/A	0.73
	QP Imidacloprid		N/A	0.16
Early June	Flex-Guard	Foliar	29	0.5
Mid June	Strobe Pro	Soil	3,11	3
Late June	Chlorothalonil 720 SFT	Foliar	M5	3.6
	SDHI		7	N/A
Mid July	Gateway	Foliar	21	0.9
	Ipro 2		2	4
	Flex-Guard		29	0.5
Early August	Enclave	Foliar	1,2,3,M5	4
Late August	Flex-Guard	Foliar	29	0.5
	SDHI		7	N/A
Mid Sept.	Tebuconazole 3.6F	Foliar	3	0.85
	Chlorothalonil 720 SFT		M5	3.6
Early Oct.	Ipro 2	Foliar	33	2
	Flex-Guard		N/A	0.5
Late Oct.	Chlorothalonil 720 SFT	Foliar	M5	5.5
Late Nov.	Enclave	Foliar	1,2,3,M5	8

Key Assumptions:

**All soil applications followed by .1"--.25" of irrigation

**Growth Regulator: T-Nex application begin mid spring until late fall - rate dependent upon multitude of variables

**Wetting agent application based on need and preference

**Assume 28 acres of fairways/tees, ~21 day interval

**17 Applications

©2025 Quali-Pro, a division of Control Solutions, Inc. Always read and follow label instructions. Some products may not be registered for sale or use in all states or counties. Please check with your state or local Extension Service to ensure registration status. Quali-Pro supports FIFRA Section.