

## **AGRONOMIC PROGRAM**

Coastal Southeast Bermudagrass Fairways & Tees

Month	Product	Type of Application	FRAC	Rate (oz/m)
January	lpro 2	Foliar	2	4.0
February	Oxadiazon SC	Soil	N/A	2.8
March	lpro 2	Foliar	2	4.0
April	Tebuconzole 3.6F	Soil	3	0.6
Мау	Contrado	Foliar	N/A	0.137
June	Imidacloprid 2F	Soil	N/A	0.6
	Bifenthrin IT		N/A	1
	Todal	Soil	N/A	1.3
	Prodiamine 4L	Soil	N/A	0.75
July	Todal	Soil	N/A	1.3
	Prodiamine 4L	Soil	N/A	0.75
August	Tebuconazole 3.6F	Foliar	3	0.6
September	Contrado	Foliar	N/A	0.137
October	Enclave	Soil	1,2,3,M5	4
	Tebuconzole 3.6F	Soil	3	0.6
November	Enclave	Soil	1,2,3,M5	4
	Tebuconzole 3.6F	Soil	3	0.6
	Specticle	Soil	N/A	0.137
	Negate		N/A	0.034
December	Princep 4L	Soil	N/A	0.734
Key Assumptions:				
**All soil applications followed by .1"25" of irrigation				
** Growth Regulator - applications are assumed, however dependant up GR choice, state, and weather variables				
**Wetting agent application based on need and preference				
** 18 Applications				
Addition of the second seco				

\*\*Nematode test results should determine which Nematicide is used and must be watered appropriately to reach target

©2025 Quali-Pro, a division of Control Solutions, Inc. Always read and follow label instructions. Some products may not be registered for sale or use in all states or counties. Please check with your state or local Extension Service to ensure registration status. Quali-Pro supports FIFRA Section.